

Neo Fetal Bovine Serum

#Cat: NB-58-0140A Size: 500ml

#Cat: NB-58-0140B Size: 100ml

#Cat: NB-58-0001A Size: 500ml

#Cat: NB-58-0001B Size: 100ml

#Cat: NB-58-0025 Size: 500ml

#Cat: NB-58-0161B Size: 100ml

#Cat: NB-58-0159B Size: 100ml

#Cat: NB-58-0159A Size: 500ml

#Cat: NB-58-0140A Size: 500ml

#Cat: NB-58-0140B Size: 100ml

#Cat: NB-58-0162A Size: 500ml

#Cat: NB-58-0162B Size: 100ml

General Information

Serum is the blood component that can be obtained after coagulation and by removing cellular components. Besides serum proteins it contains, e.g. growth factors, amino acids and hormones. This comprehensive mix makes serum one of the most important supplements, supporting cells to grow and proliferate in in vitro cell culture. Of special interest is the fetal bovine serum (FBS). It is especially rich in growth factors and is particularly low in antibodies, which may influence the cell culture work.

Product	Origin	Treatment	Volume	Cat. No.
Fetal Bovine Serum	Collected in South America	X	500 ml	NB-58-0001A
		X	100 ml	NB-58-0001B
		Heat Inactivated	500 ml	NB-58-0025
		Heat Inactivated	500 ml	NB-58-0161B
		Gamma Irradiated	100 ml	NB-58-0159B
		Gamma Irradiated	500 ml	NB-58-0159A
Fetal Bovine Serum	Origin USA	X	500 ml	NB-58-0140A
		X	100 ml	NB-58-0140B
		Heat Inactivated	500 ml	NB-58-0162A
		Heat Inactivated	100 ml	NB-58-0162B

Additional Tests & Treatments

- Tested according to 9CFR
- ES cell pre-tested
- Charcoal Treated
- Delipidated
- Exosome Depleted
- IgG Depleted
- Dialysed
- Tetracycline Negative

Product Specifications

Appearance	Clear amber liquid
Storage and shelf life	Store at ≤ -15 °C. Avoid repeated freeze-thaw cycles. Preparation of aliquots recommended. Once opened store at 4°C and use within 4-6 weeks.
Shipping conditions	Frozen (dry ice)
Thawing	Overnight at +2 °C to +8 °C. Swirl gently to homogenize.

Additional Optional Treatments

Heat inactivation:

Heat inactivation will inactivate the complement system, antibodies and other active enzymes. It has to be done in a carefully controlled process in order to avoid damaging the cell growth promoting properties of the serum and reducing the formation of unwanted precipitates. The process involves heating the serum in a shaking water bath at exactly +56°C for 30 minutes. The shaking will help avoid the formation of protein and other forms of precipitates. After 30 minutes the serum is cooled back down to room temperature as quickly as possible to avoid excessive exposure to heat which can damage e.g. growth factors and vitamins.

Gamma irradiation:

Neo Biotech has established process parameters and controls for maximum inactivation of contaminants by an innovative gamma irradiation process in small sized boxes at 25 – 35kGy. When FBS bottles are arranged in a pallet during gamma irradiation, high irradiation doses (58 kGy) are necessary to irradiate the centrally located bottles with the required doses (>30 kGy). This and the associated higher temperatures may affect the serum quality. If the irradiation is performed in single boxes, the maximum dose of irradiation does not exceed 38.7 kGy. Gentle irradiation as used by Neo Biotech is less likely to affect final serum quality.

Quality control

Only sera batches which pass our strict quality control are released for sale. Standard parameters which are determined include pH, osmolality, content of protein, albumin, IgG and hemoglobin, endotoxin level, sterility, mycoplasma detection and virus testing.

Precautions and Disclaimer

This product is for research and further manufacturing use only.

Help Needed?

If you have any further questions regarding this product, please do not hesitate to contact our cell culture experts by email (info@neo-biotech.com) or phone (+33 9 77 40 09 09).